

# ANTHEM 2

## MOUNTAIN COMPETITION

From the most demanding XC race courses to epic all-dayers on cherry singletrack, Anthem is built for speed. 3.5 inches of Maestro travel mated to Giant's lightest, race-butted ALUXX SL aluminum, the Anthem series is the standard by which all other dual-suspension race bikes are measured.



### SPECIFICATIONS

FRAME	SIZES	XS, S, M, L, XL
	COLORS	Black/Brushed
	FRAME	ALUXX SL Aluminum, 3.5" Maestro Suspension
	FORK	RockShox Reba SL, 80mm travel
	SHOCK	Fox Float RP2
COMPONENTS	HANDLEBAR	Race Face Ride XC low rise, 31.8
	STEM	Race Face Ride XC, 31.8
	SEATPOST	Race Face Ride XC 350 x 30.9mm
	SADDLE	WTB Silverado Race
	PEDALS	Not Included
DRIVETRAIN	SHIFTERS	Shimano Deore Rapidfire
	FRONT DERAILLEUR	Shimano Deore
	REAR DERAILLEUR	Shimano Deore, top normal
	BRAKES	Hayes Stroker Ryde 160F/160R
	BRAKE LEVERS	Hayes
WHEELS	CASSETTE	Shimano HG-50 11/34, 9-speed
	CHAIN	Shimano HG-73
	CRANKSET	Race Face Ride XC, 22/32/44
	BOTTOM BRACKET	Race Face X Type, external
	RIMS	WTB LaserDisc XC
	HUBS	Alloy Sealed Bearing
	SPOKES	14/15g Butted Stainless Steel
	TIRES	Michelin XC Dry <sup>2</sup> , 26x2.0 folding
	EXTRAS	

Specifications and availability subject to change without notice.

### FRAME TECHNOLOGY

Featuring lightweight ALUXX SL butted alloy tubeset, 3.5 inches of Maestro travel and aggressive XC racing geometry—Anthem sets the new standard in dual-suspension race bikes.



### FEATURES

- Light and stiff RockShox Reba SL, 80mm suspension fork and Fox Float RP2 rear shock
- Shimano Deore shifting with Race Face Ride XC crankset
- Race Face Ride XC handlebar and stem
- WTB LaserDisc XC rim/sealed-bearing hubs wheelset

### FRAME GEOMETRY

Actual Frame Size	Head Angle	Seat Angle*	Toptube**	Headtube	Chainstay	Wheelbase	Standover Height***
inches	degrees	degrees	inches	inches	inches	inches	inches
XS/14.5	72.0	73.5	22.0	4.6	16.7	40.7	30.0
S/16	72.0	73.5	22.6	4.6	16.7	41.3	30.4
M/18	72.0	73.0	23.4	5.1	16.7	41.9	31.2
L/20	72.0	73.0	24.2	5.7	16.7	42.7	32.2
XL/22	72.0	72.5	25.0	6.3	16.7	43.3	33.0

\*Seat angle is actual

\*\*Toptube is measured from the center of the headtube horizontally back to the top of the effective extension of the seattube

\*\*\*Standover height is based on the largest size tire that will fit the bike, not necessarily the included size tire