

# TRANCE X ADVANCE SL 1

TOO BEAUTIFUL FOR PUNISHING TRAIL RIDES,  
YOU SAY? NOPE—GORGEOUS AS IT IS, IT'S ALSO  
THE BEST WAY TO TACKLE EPIC OFF-ROAD DAYS.



## SPECIFICATIONS

FRAME	SIZES	S,M,L,XL
	COLORS	Composite/Blue
	FRAME	Advanced SL-Grade Composite, 5" Maestro Suspension
	FORK	Fox 32 F120 FIT mm travel w/ 15QR Thru Axle and tapered steerer, 120mm travel
SHOCK		Fox Float RP23
COMPONENTS	HANDLEBAR	Giant Contact TR, low rise 31.8
	STEM	Giant Contact
	SEATPOST	Giant Contact, 30.9
	SADDLE	Fi'zi:k Gobi XM w/ Kium rails
	PEDALS	Not Included
DRIVETRAIN	SHIFTERS	Shimano Deore XT
	FRONT DERAILLEUR	Shimano Deore XT
	REAR DERAILLEUR	Shimano Deore XT, top normal
	BRAKES	Shimano Deore XT 180F/160R
	BRAKE LEVERS	Shimano Deore XT
	CASSETTE	Shimano Deore XT 11x34, 9-speed
	CHAIN	Shimano HG-73
	CRANKSET	Shimano Deore XT, 22/32/44
	BOTTOM BRACKET	Shimano Deore XT, External
WHEELS	RIMS	Shimano Deore XT
	HUBS	Shimano Deore XT w/ 15mm Front Axle
	SPOKES	Shimano Deore XT
	TIRES	Kenda Nevegal, 26x2.1 Folding
	EXTRAS	

Specifications and availability subject to change without notice.

## FRAME TECHNOLOGY

Bolstered by 5 inches of super-stable Maestro suspension and an all-new, meticulously engineered Advanced SL-grade composite frame, this is the lightest, fastest way to tame any trail. Climb faster, descend with more confidence, and squeeze the most out of every singletrack adventure.



## FEATURES

- Fox 32 FIT F120RL, 120mm tapered suspension fork, Fox Float RP23 rear shock
- Shimano Deore XT component group
- Giant Contact handlebar, stem and seatpost
- Shimano Deore XT wheelset

## FRAME GEOMETRY

Actual Frame Size	Part Number	Head Angle	Seat Angle*	Toptube**	Headtube	Chainstay	Wheelbase	Standover Height**
<i>inches</i>		<i>degrees</i>	<i>degrees</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
S 16	347053	69.5	73.5	22.0	5.1	17.1	42.6	28.5
M 18	347054	69.5	73.5	23.0	5.7	17.1	43.6	30.0
L 20	347055	69.5	73.5	24.0	6.5	17.1	44.6	31.2
XL 22	347056	69.5	73.5	25.0	6.9	17.1	45.7	32.4

\*Seat angle is actual

\*\*Toptube is measured from the center of the headtube horizontally back to the top of the effective extension of the seattube

\*\*\*Standover height is based on the largest size tire that will fit the bike, not necessarily the included size tire